

Affirmative Action
(231)724-6703
FAX (231)722-1214

Assessor
(231)724-6708
FAX (231)726-5181

Cemetery
(231)724-6783
FAX (231)726-5617

City Manager
(231)724-6724
FAX (231)722-1214

Civil Service
(231)724-6716
FAX (231)724-4405

Clerk
(231)724-6705
FAX (231)724-4178

Comm. & Neigh.
Services
(231)724-6717
FAX (231)726-2501

Engineering
(231)724-6707
FAX (231)727-6904

Finance
(231)724-6713
FAX (231)724-6768

Fire Department
(231)724-6792
FAX (231)724-6985

Income Tax
(231)724-6770
FAX (231)724-6768

Info. Technology
(231)724-4126
FAX (231)722-4301

Inspection Services
(231)724-6715
FAX (231)728-4371

Leisure Services
(231)724-6704
FAX (231)724-1196

Mayor's Office
(231)724-6701
FAX (231)722-1214

Planning/Zoning
(231)724-6702
FAX (231)724-6790

Police Department
(231)724-6750
FAX (231)722-5140

Public Works
(231)724-4100
FAX (231)722-4188

Treasurer
(231)724-6720
FAX (231)724-6768

Water Billing
(231)724-6718
FAX (231)724-6768

Water Filtration
(231)724-4106
FAX (231)755-5290



City of Muskegon Police Department Roof Replacement Requirements

Two (2) separate bids are requested. You may bid one or both, but will only be considered if your bid type is selected. So bidding on both improves your chances.

The date for seal bids to be received by is Thursday November 10th 2011 BY 2:00 pm at which time all bids will be open.

The 1st Bid will be for Partial Removal and Partial Replacement of existing roof: 60 mil EPDM

Using the existing Ballast and 2" ISO insulation adding a taper around perimeter of roof to improve drainage. Use existing metal cap with metal extension over tapered ends.

Add additional drain to improve drainage.

Use 60 mil EPDM. Include cost for labor and material per sq. ft. for damaged 2" ISO insulation.

Re: Tapered ISO Covered By One Layer 2" ISO Insulation Then Ballasted 60 mil EPDM Roofing System.

Your Bid Price _____ Cost per sq. ft. _____ Cost per 100 sq. ft. _____

The 2nd Bid will be for Full Removal and Full Replacement of existing roof (reusing ballast) 60 mil EPDM

Using existing ballast and metal cap. Removal of all other material. Install tapered ISO Covered by One layer 1.5" flat ISO Then ballasted 60 mil EPDM Roofing System. Add metal extension if needed. Add additional drain to improve drainage tying into existing drain.

Re: Tapered ISO Covered By One Layer 1.5" Flat ISO Then Ballasted (with existing ballast) 60 mil EPDM Roofing System.

Your Bid Price _____

Additional information and requirements:

- 1) No prevailing wage
- 2) Certificates of insurance at award of contract
- 3) There will a pre bid meeting at 1:00 pm Monday November 7, 2011 to examine roof.
- 4) Bid option #1 and/or #2 shall include all labor, material, and equipment to perform work.
- 5) Your Bid must be in a sealed envelope.